
Innovation for Our Energy Future


Wind Technology and Wildlife Interactions



NREL is operated by Midwest Research Institute - Battelle

The U.S. Energy Picture


by source - 1850-1999



Source: 1850-1949, Energy Perspectives: A Presentation of Major Energy and Energy-Related Data, U.S. Department of the Interior, 1975; 1950-1996, Annual Energy Review 1996, Table 1.3. Note: Between 1950 and 1990, there was no reporting of non-utility use of renewables. 1997-1999, Annual Energy Review 1999, Table F1b.



The US History and Future Planned Additions of Coal Generated Electricity



Source: Black & Veatch Analysis of data from Global Energy Decisions Energy Velocity database

A New Vision For Wind Energy in the U.S.




State of the Union Address


"...We will invest more in ...
revolutionary and solar wind
technologies"

Advanced Energy Initiative

"Areas with good wind resources have the potential to supply up to 20% of the electricity consumption of the United States."




Growth of Wind Energy Capacity Worldwide




Sources: BTM Consult Aps, Sept 2005 Windpower Monthly, January 2006






Megawatts of Installed Utility-Scale Wind Power at June 30, 2006




Land Requirements for 20% of the Nations Electricity



Schematic of Wind Plant


At it's simplest, the wind turns the turbine's blades, which spin a shaft connected to a generator that makes electricity.

Large turbines are grouped together in an array of about 5
Diameters by 10
Diameters to form a wind power farm, which feeds electricity to the grid.




Stream Tube for Momentum Balance





Wind Energy Production Terms

- Power in the Wind = $1/2\rho$ AV³
- Power Coefficient C_p
- Betz Limit 59% Max
- Efficiency about 80%
- <u>Rated Power</u> Maximum power generator can produce
- <u>Capacity factor</u> Annual energy capture / Generator max output X 8760
- <u>Cut-in</u> wind speed where energy `production begins
- <u>Cut-out</u> wind speed where energy production ends



Modern Turbine Power Curve



Consideration for Siting a Wind Farm

- Income = Energy Output \sim (Wind Speed)³
- Transmission Access
- Power Purchase Agreement with Utility
- Land with landowner willing to lease
- Permits: Minimal Wildlife & NIMBY
- Turbines at a Competitive Price
- Financing



NREL National Renewable Energy Laboratory

Cost of Energy Trend

1981: 40 cents/kWh

Decreasing Cost Due to:

- Increased Turbine Size
- R&D Advances
- Manufacturing improvements



NSP 107 MW Lake Benton, MN wind farm


2006: 5-8 cents/kWh with no PTC Cost Increases Due to:

- Price increases in Steel & Copper
- Turbines Sold Out for 2 Years

2012 Goal:
3.6 cents/kWh
with no PTC



Measuring and Modeling the Low-Level Nocturnal Jet






Met tower and SODAR at Lamar, Colorado




km

Blade Fatigue Testing at NREL



A new 45-meter wind turbine blade was shipped to the NWTC for testing in July 2004.

Blade Scaling for Multi-megawatt Rotors



NREL National Renewable Energy Laboratory

NREL Advanced Drivetrain R&D

Tomorrow Prototype Technology

Today

1.5MW Commercial Technology














National Avian – Wind Power Planning Meeting I July 1994

Meeting Outcome: Five Major Research Areas

- Assess mortality attributable to wind turbines at existing sites (including control data from "no turbine" sites)
- Predict mortality at planned wind power sites, based in part on previous bullet
- Predict population consequences
- Identify ways to reduce bird kills at wind plants
- Set values for off-site mitigation



Key Research Studies Proposed to the NWCC Avian Subcommittee - NAWPP II (June 1995)

I. Avian Wind Farm Interaction Studies

- Observe and measure the effects of wind farms on avian species in the area
- Use a BACI approach where possible

	Before	After
Wind Farm site	\boldsymbol{X}	X
Reference site	\boldsymbol{X}	\boldsymbol{X}

II. Avian Risk Reduction Studies

Consider: - Visual enhancement

- Tower type

- Perch guard

- Acoustic

- Decoys

Compare treated and untreated turbine while measuring utilization, mortality and observing behavior treated turbine while measuring utilization, mortality and observing behavior

Key Research Studies Proposed to the NWCC Avian Subcommittee - NAWPP II (June 1995)

Associated research recommendations:


- Develop standardized measurement protocols and guidelines
 - For comparability from different studies
 - To guide researchers
 - To be able to understand differing results
- Study population impacts using
 - Model studies to better understand the effects
 - Actual field measurements on a target avian population



NWCC Avian Guidance Document

STUDYING WIND ENERGY/BIRD INTERACTIONS: A GUIDANCE DOCUMENT

METRICS AND METHODS FOR DETERMINING OR MONITORING POTENTIAL IMPACTS



Prepared for the Avian Subcommittee and NWCC December 1999



Assessing the suitability of a proposed wind farm site with regard to avian concerns is an important component of overall site evaluation. This NWCC document provides guidelines for conducting avian assessments.


Published December 1999.




NREL Avian Studies Available at: http://www.nrel.gov/wind/avian_lit.html

- Permitting of Wind Energy Facilities: A Handbook
- A Pilot Golden Eagle Population Study in the Altamont Pass Wind Resource Area, California
- A Population Study of Golden Eagles in the Altamont Pass Wind Resource Area, Second-Year Progress Report
- Ponnequin Wind Energy Project Reference Site Avian Study
- A Population Study of Golden Eagles in the Altamont Pass Wind Resource Area: Population Trend Analysis 1994-1997
- Predicting the Response of Bird Populations to Wind Energy-Related Deaths
- The Response of Red-Tailed Hawks and Golden Eagles to Topographical Features, Weather, and Abundance of a Dominant Prey Species at the Altamont Pass Wind Resource Area, California, April 1999-December 2000
- Searcher Bias and Scavenging Rates in Bird/Wind Energy Studies
- Status of Avian Research at the National Renewable Energy Laboratory (2001)
- Status of the US Dept. of Energy/NREL Avian Research Program (1999)
- Studying Wind Energy/Bird Interactions: A Guidance Document






Highlights of One Interaction Study in Altamont Pass



- Topographical features, turbine location and prey appear to play roles
- Not all turbines appear to contribute to fatalities

Data Points Only Analyzed Under 300m Mask



Altamont Pass Flight Observations

The terrain relief map shows avian flight observations within 300 m of Note of tanget tool borns avian use distribution around the turbines

Period of observations 15 October
 2002 through 14 May 2003


Source: K. Smallwood and L. Neher, CEC-500-2005-005, December 2004

Could preconstruction studies develop a bird probability density map to illuminate high usage flight zones through a proposed windfarm?




Red Tailed Hawk Flight Observations Histogram for Altamont Pass

Height Histogram



Distribution of flight heights above ground level amount red-tailed hawks observed during behavioral observations sessions during 2003 and 2004 in the APWRA.

Height versus Orientation



Mean flight heights of red-tailed hawk over aspect of ridge relative to oncoming winds.

Source: K. Smallwood and L. Neher, CEC-500-2005-005, December 2004



Visual Patterns

Avian Risk Reduction: Visual Enhancement to Increase Avoidance




American Kestrel

Source: The Role of Visual Deterrents in Reducing Avian Collisions; William Hodos, University of Maryland



Visualization of Avian Interaction Zones





Candidate Avian Risk Metrics

Hypothesis: "Mortality risk increases with flight time in the rotor zone (yellow zone), if the turbine is operating"

• A Candidate Post-construction Fatality Metric:


Species Risk = Fatalities/(Swept Area x Turbine Operation Hours)

A Candidate Preconstruction Relative Risk Metric:

Species Relative Risk = (Flight Hours in Rotor Zone with Wind in Operating Range)/(Plant Swept Area x Hours with Wind in Operating Range)



A Simple Stick Collision Model



Stick Turbine

Bird passage time through the rotor:

t_p=L/V= Length speed ratio (sec)

Blocked Sector of Turbine Rotor:

 $B = t_p w \text{ (deg)}$

Probability of collision:

P_c = Blocked Area/Disk Area

 $P_c = 3B/(360 \text{deg})$

 $P_c = 3(L/V)\{w(\text{deg/sec})/360\text{deg}\}$

To account for avoidance:

 $P_c = 3 A (L/V) \{w(\text{deg/sec})/360 \text{deg}\}$

where A = { < 1 for avoidance 1 for no behavior > 1 for attraction NREL National Renewable Energy Laboratory

Avian Strike Probability Versus Turbine Size

Altamont Scale



15 Meter Diameter and 100 kW

Next Generation Scale




93 Meter Diameter and 2.5MW



Avoidance Behavior is Significant

Radar Tracks of Migrating Birds through Nysted Offshore Windfarm for Operation in 2003




Response distance:

- day = c. 3000m- night = c. 1000m

Infrared Image of a Bat Flying Through a Wind Turbine Rotor

Multi-Stakeholder Wildlife Research National Wind Coordinating Committee Bat & Wind Energy Cooperative Grassland Shrub Steppe Species Collaborative Photo by Jason Horn, Boston University NREL National Renewable Energy Laboratory


BWEC Study Results



Number of bat fatalities found at each turbine during the study period.



BWEC Study Results



Meyersdale Wind farm:


- NEG Micon 1.5 MW Turbine
- 72 meter rotor Diameter
- 17 revs/min = 102 deg/sec
- Constant rotor rpm
- Green dots are bat carcasses
- Yellow dots are birds
- Bird and bat fatalities for all 20 turbines are overlaid

Observations:

- Bird and bat fatalities appear to be fairly uniformly distributed out to 40m
- Beyond a radius of about 40m fatalities drop off rapidly indicating carcasses are not thrown far outside of the blades span
- The higher velocity tip regions of the blade do not seem to be more dangerous than the root near the tower
- Bats are much more vulnerable than birds

NREL National Renewable Energy Laboratory


BWEC Savaging Study Results



Source: BWEC Report 2005

BWEC Study Results

Fatalities decrease with increasing wind speed







Offshore Wind – U.S. Rationale Why Go Offshore?

Windy onshore sites are not close to coastal load centers


The electric utility grid cannot be easily set up for interstate electric transmission

Load centers are close to the offshore wind sites









Arklow Banks Windfarm The Irish Sea



Photo: R. Thresher

National Renewable Energy Laboratory

Horns Rev Wind Farm Installation



Country: Denmark Location: West Coast Total Capacity: 160 MW Number of Turbines: 80 Distance to Shore: 14-20 km

Depth: 6-12 m

Capital Costs: 270 million Euro


Manufacturer: Vestas Total Capacity: 2 MW

Turbine-type: V80 - 80m diameter

Hub-height: 70-m

Mean Windspeed: 9.7 m/s

Annual Energy output: 600 GWh




Offshore Wind European Environmental References


- European Union, COD, Principal Findings 2003-2005, prepared by SenterNovem, Netherlands, www.offshorewindenergy.org
- Offshore Wind: Implementing a New Powerhouse for Europe, Greenpeace International, March 2005
 - http://www.greenpeace.org/international/press/reports/offshore-wind-implementing-a
- Danish (Horns Rev and Nysted) Ecological Studies http://www.hornsrev.dk/Engelk/default_ie.htm and
 - http://uk.nystedhavmoellepark.dk/frames.asp?Page_ID=44&Page_Ref=44&Templates_ID=1
- U.K.'s Strategic Environmental Assessment
 http://www.og.dti.gov.uk/offshore-wind ♠ NREL National Renewable Energy Laboratory

Plug Hybrid Electric Vehicles

(A Future Off-Peak Electricity Market with Storage)



A Future Vision for Wind Energy Markets



GE Wind 1.5 MW – Windfarm Projects



Concluding Remark

World-wide electrical energy consumption is projected to grow by about 75% over the next 20 years. All energy technologies have some environmental impacts. Wind Technology is developing rapidly, and a modest investment in environmental R&D now could make the impacts negligible. This would give us a carbon free electricity generating choice that could meet at least 20% of the world's energy needs.













Disclaimer and Government License

This work has been authored by Midwest Research Institute (MRI) under Contract No. DE-AC36-99GO10337 with the U.S. Department of Energy (the "DOE"). The United States Government (the "Government") retains and the publisher, by accepting the work for publication, acknowledges that the Government retains a non-exclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this work, or allow others to do so, for Government purposes.

Neither MRI, the DOE, the Government, nor any other agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe any privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not constitute or imply its endorsement, recommendation, or favoring by the Government or any agency thereof. The views and opinions of the authors and/or presenters expressed herein do not necessarily state or reflect those of MRI, the DOE, the Government, or any agency thereof.